



total
SITESUPPLIES

Bricklayers Catalogue



Brick Saws

Saint Gobain Brick Saw

Code CM42

This portable brick saw is ideal for safe and easy cutting of bricks, pavers, ceramic tiles and other similar smaller building materials. The CM41 has a direct drive motor. Its all steel frame makes it extremely rigid and has foldable legs for easy transportation and storage.

Power: 2.2kW

Fuse/Generator: 16A/6kVA

Max Blade x Bore: 400 x 25.4mm

Max Cutting Depth at 90 degrees: 135mm

Max Cutting Length: 600mm



Arbortec Brick Saw

Code AS175

Engineered to significantly improve safety and efficiency when cutting brick walls, mortar and more.

Cut square, deep and with precision.

The Allsaw AS175 is ideal for Trade Professionals and DIY Enthusiasts, there is a number of specialised blade options for specialised trade applications.

Powerful 1400W motor

Trigger switch

Adjustable belt drive

Ergonomic soft grip handle

Tungsten Carbide teeth blades



Arbortec Brick Saw Dust Extractor AS175

Code ALL.FG.BOOT002

For more sensitive work environments and work site restrictions, the new Heavy Duty Dust Boot takes dust removal to a whole new level. An attachment for the Arbortec Allsaw, the new design eradicates dust regardless of the blade depth, but still allows for precision cutting.



Arbortec Brick Saw Dust Extractor AS170

Code ALL.FG.BOOT002



Arbortec Adaptor Dust Extractor

Code ALL.FG.ADAP001



Arbortech Key Torque 16Nm (Ian Key)

Code ALL.FG.KEY004



Arbortec Brick Saw Blades



Arbortec Belt for AS175

Code ALL.FG.BELT003




Arbortec Bolt

Code ALL.FG.BOLT17012



Arbortec Brush

Code ALL.FG.BRUSH1703



Arbortech Switch

Code ALL.FG.SPRINGASS002



Brick Elevator

Locking 16" flat free wheels
Lifting point for winching up to scaffold
Extra tough 2 ply rubber belt
Optional 250mm wide belt for 6 packs of bricks and blocks
Belt recessed to stop bricks from falling



Concrete Mixers

Electric Concrete Mixer 140L

Code MAN17035

Manners Concrete mixer is designed for the builder or tradesman requiring a reliable machine to work with and to mix all types of construction materials in complete confidence. The mixer can be assembled very easily and quickly and can be taken off the stand for transporting.

- Heavy Duty bowl with a capacity of 140 litres
- Bowl diameter is 590mm
- Direct drive motor turns at 23 RPM
- Motor (HP): 0.5
- Total weight 75kg
- Wheel Size 250mm x 75mm



Belle Mini Electric Concrete Mixer

Code M33BA

Concrete Mixer built for site durability, this is a quality, portable mixer for all small to medium building projects. The number one choice for mixers worldwide.

- Max drum capacity 130L
- Max mixing capacity 90L
- Electric engine 750w
- Enclosed Electric motor, sealed to IP 45
- Dimensions: (LxWxH mm – off stand) 597 x 890 x 1211
- Weight 55.5kg



Belle Mini Petrol Concrete Mixer

Code M54BPU

Built for site durability, this is a quality, portable mixer for all small to medium building projects. The number one choice for mixers worldwide.

- Max drum capacity 130L
- Max mixing capacity 90L
- Honda petrol engine
- Dimensions: (LxWxH mm – off stand) 597 x 890 x 1211
- Weight 61kg



Power Generators

3100W Electric Start Generator

Code GT3000ES

The functional Electric Start compliments the industrial quality of the GT3000ES. With all the unique GT POWER features like industrial air cleaner & muffler system – for cleaner quieter operating, superior quality alternator & automatic voltage regulator (AVR) – for more stable power output and low oil alert with automatic engine shutdown. Ergonomic handles and heavy duty solid wheel kit with rubber tyres for portability make the GT3000ES ideal for using at the home, farm or construction site.

Output (Max) - 3100W
Amps (Max) - 13.5
Engine type - 4 Stroke OHV
Fuel tank - 15L
Run time - 9.5hrs
Weight - 48kg



3800W Electric Start Generator

Code GT3600ES

The functional Electric Start compliments the industrial quality of the GT3600ES. With all the unique GT POWER features like industrial air cleaner & muffler system – for cleaner quieter operating, superior quality alternator & automatic voltage regulator (AVR) – for more stable power output and low oil alert with automatic engine shutdown. With the capability of running a drop saw and all powertools the GT3600ES is ideal for the home workshop or garage.

Output (Max) - 3800W
Amps (Max) - 16.5
Engine type - 4 Stroke OHV
Fuel tank - 15L
Run time - 9.5hrs
Weight - 50kg

5500W Electric Start Generator

Code GT5600ES

The heavy duty 25L fuel tank and the industrial quality of the GT5600ES will keep you in power all day. With all the unique GT POWER features like industrial air cleaner & muffler system – for cleaner quieter operating, superior quality alternator & automatic voltage regulator (AVR) – for more stable power output and low oil alert with automatic engine shutdown. With the capability of running multiple powertools or household items the GT5600ES is ideal for running the bach, farm shed or emergency back-up power.

Output (Max) - 5500W
Amps (Max) - 23.9
Engine type - 4 Stroke OHV
Fuel tank - 25L
Run time - 8.5hrs
Weight - 81kg



7000W Electric Start Generator

Code GT7000ESQ

The large 25L fuel tank and industrial quality of the GT7000ES will keep you in power all day. This machine includes all the GT Power features like industrial air cleaner & muffler system, superior quality copper wound alternator & automatic voltage regulator (AVR) and low engine oil alert with automatic engine shutdown. Combine these benefits with the premium build quality of GT Power and you have a machine that provides sterling service for a lifetime! With the capability of running multiple powertools, lights and industrial equipment, the GT7000ES is ideal for running the bach, farm shed or emergency back-up power. Featuring an inbuilt RCD and twin 15A outlets this machine is ready to tackle the toughest task including powering a welding machine up to 150A.

Output (Max) - 7000W
Amps (Max) - 27
Engine type - 4 Stroke OHV
Fuel tank - 25L
Run time - 13hrs
Weight - 88kg



10000W Electric Start Generator

Code GT10000ESQ

The large 25L fuel tank and the industrial quality of the GT10000ESQ will keep you in power all day. With all the unique GT POWER features like the patented Tomahawk Alternator, industrial air cleaner & muffler system, automatic voltage regulator (AVR) and low oil alert, this state of the art generator empowers you to tackle any task!

This machine is the Big Boy in the range and packs a serious punch - being able to power a small house, workshop or a work site. Also the ideal generator for back-up power in natural disasters.

Featuring a heavy duty outlet plug with adapter cord for maximum generator output - the GT10000ESQ is suitable for power tools, appliances, food carts and even a welding machine up to 200A.

Output (Max) - 9000W

Amps (Max) - 35

Engine type - 4 Stroke OHV

Fuel tank - 25L

Run time - 8hrs

Weight - 94kg



Wheelbarrows

The Contractor Wheelbarrow

Code 1350022

The Greens Contractor Wheelbarrow is a legend in the trade! Trusted and relied upon by tradesmen – proven for over 35 years. The Contractor has withstood the harshest conditions and earned the respect of thousands.

- Bolt Free Seamless Tray
- No Rust Frame
- Tough Steel Construction
- Superior Balance and Control

72 Litre capacity

Total weight 22kg



Sprayers


Spraysmart 16L Industrial Backpack Sprayer

Code HD400

16 litre industrial backpack sprayer. With chemical resistant viton seals it can handle oil based release agents and is a must for the precast yard. Great for curing agents and surface retarders.



Small Hand Tools



Ox Mortar Smoothing Tool

Code	Size
OX-P011056	6mm
OX-P011508	8mm
OX-P011510	10mm
OX-P011512	12mm



Ox Professional Spoon Joiner

Code	Size
OX-P030813	10mm & 13mm
OX-P030816	13mm & 16mm
OX-P030819	16mm & 19mm
OX-P030822	19mm & 22mm



Trowels



Gauging Trowels

Tempered Blade

Brand	Code	Size	Handle Type
Ox	OX-P011407	175mm	Duragrip Handle
Ox	OX-P011408	200mm	Duragrip Handle
Ox	OX-T011407	178mm	Timber Handle
Ox	OX-T011408	203mm	Timber Handle



Brick Trowels


Philadelphia Pattern

Brand	Code	Size
Marshalltown	MT19-FG11	275mm x 138mm
Marshalltown	MT19-FG12	300mm x 150mm
Ox	OX-P011212	150mm x 302mm



London Pattern

Brand	Code	Size
Marshalltown	MT33-FG10	250mm x 120mm
Marshalltown	MT33-FG11	275mm x 122mm
OX	OX-P010312	150mm x 302mm
OX	OX-P011112	150mm x 302mm



Bucket Trowel - Wooden Handle

Brand	Code	Size
Marshalltown	MT19-8.25	206mm x 138mm



Pointing Trowels

Brand	Code	Size
Marshalltown	MT95	140mm
Marshalltown	MT925	175mm



Ox Square Front Trowel

Code	Size
OX-P013718	180mm



MT Sled Runner

Code	Size
MT613D	13 x 450mm



Window Trowels

Trowel & Square

Brand	Code	Size
Ox	OX-P010113	13mm
Ox	OX-P010116	16mm
Ox	OX-P010119	19mm
Ox	OX-P010125	25mm



Tuck Pointer with Wooden Handle

Brand	Code	Size
Marshalltown	MT503-06	6mm
Marshalltown	MT504-08	8mm
Marshalltown	MT505-10	10mm
Marshalltown	MT506-13	13mm
Marshalltown	MT507-16	16mm



Margin Trowel

Tempered Blade with Hardwood Handle


Brand	Code	Size
Marshalltown	MT97	125mm x 50mm

Profiles



Brick Profiles

Code	Size	Description
VBLONG	800mm	Brick L profile Veneer Set Profile Clamp
VBSHORT	500mm	Brick L profile Veneer Set Profile Clamp
5917-5M	50 x 50	Brick Profile
OX-P101213	330mm	Ox Sliding Profile Clamp
OX-P101222	560mm	Ox Sliding Profile Clamp



Veneer Bracket Profile Holder

Code
VBPH



Internal Clamp

Code	Size
CLINSM	Small
CLINLG	Large



Ox Brick Carrier

Code
OX-P170350

Poly Wheel Roller Raker



Poly Wheel Roller Raker

Code	Size
OX-P030501	220mm x 93mm

Dutch Pin



Dutch Pin

Code	Size
OX-P100715	100 x 150

Hammers



OX-P080725

Scutch

Brand	Code	Description
Ox	OX-P080528	Bricklayers single scutch
Ox	OX-P080725	Scutch Comb 25mm
Ox	OX-P080738	Scutch Comb 38mm
Ox	OX-P080750	Scutch Comb 50mm



Bricklayers

Brand	Code	Description
Ox	OX-P082424	Accurately Ground Chisel End For Clean Cutting. Handle With Shock Reduction
Ox	OX-T081024	340mm handle length, 24oz, fibreglass handle



Claw

Brand	Code	Description
Estwing	E-MRF20C	Sure Strike 20oz
Estwing	E-MR20C	Estwing 20oz
Ox	OX-P080120	Ox 20oz with Duragrip handle



Club

Brand	Code	Description
Barco	BA05-203	Forged head 3 lb
Barco	BA05-204	Forged head 4 lb

End Cutting Pliers



End Cutting Pliers

Brand	Code
Knipex	KP68-180 (180mm)
Knipex	KP68-200 (200mm)
Knipex	KP68-280 (280mm)

Head shape provides optimised movement when tightening steel mesh knots during reinforced concrete work. With cutting edges for soft and hard wire. Also suitable for twisting and cutting binding wire. Cutting edges additionally hardened; cutting edge hardness approx. 61 HRC. High-grade special tool steel; forged; oil-hardened.



Brand	Code
Ox	OX-P230325
Ox	OX-P230328

Pro Narrow Head End Cutting Nippers.
 Professional Quality
 Individually Hardened
 Drop Forged From Special Tool Steel
 PVC Duragrip Handles



Tie Wire Puller



Tie Wire Puller

Brand Code
Totalsite EDM9455

Wire tie twister, heavy duty for twisting and securing wire ties to close bags; fences; frameworks for reinforced concrete.



Tie Wire Reel

Brand Code
Ox OX-T299701


Fits any standard belt. Suits all types of tie wire. Left or right hand use. Cast aluminium construction.



Wire

Code	Description
WT161102000P6	1.6mm wire ties, 2000 bundle, 110mm
WT162002000P6	1.6mm wire ties, 2000 bundle, 200mm

Abrasive Files



Abrasive Files

Brand	Code	Description
Surform	ST21-296	Plane 250mm
Surform	ST21-295	Flat File 250mm
Surform	ST21-293	Replacement standard blade

Brick Ties

**GALV or
STAINLESS
STEEL**




Brick Ties

Code	Description
HDG95	Brick Ties Galv 95mm Long x 520
HDG110	Brick Ties Galv 110mm Long x 400
HDG135	Brick Ties Galv 135mm Long x 350
HDG110SS	Brick Ties Stainless Steel 110mm Long x 400
HDG85SS	Brick Ties Stainless Steel 85mm Long x 400

Bricklock

**GALV or
STAINLESS
STEEL**



Bricklock Corners

Code
801-03



Bricklock Straight 2m Length

Code	Description
801-01	Galv
801-02	Stainless Steel



total
SITE SUPPLIES

Cavity Ties



Cavity Ties

Code	Description
CAVITY TIE GALV	185mm x 105mm
CAVITY TIE SS	185mm x 105mm

Steel Angles



**Other
sizes on
request**

Equal Angles

Code	Description
EA0808006-6G	80 x 80 x 6 6mtr
EA1001006-6G	100 x 100 x 6 6mtr



Unequal Angles

Code	Description
UA1257506-6G	125 x 75 x 6 6mtr
UA1257510-6G	125 x 75 x 10 6mtr

Marking Equipment



Chalk Lines

Brand	Code	Description
Stanley	ST47-681	4oz chalk and line level set 30m



Brand	Code	Description
Stanway	ZE81921-1	30m chalk line set
Giantline	GIANTLINE	50m refillable chalk line



Brand	Code	Description
Hanson	HNCR30M	30m aluminium chalk line



Carpenters Pencils

Brand	Code	Description
Blackedge	BP218H	Hard lead
Blackedge	BP218M	Medium lead

Carpenters Rules



Brand	Code	Description
Fisco	HU59W-18	1m bevel edge 4 fold 5mm white nylon
Fisco	HU59Y-16	1m square edge 4 fold 5mm yellow nylon

Builders Lines



Brand	Code	Description
Stanway	CM40	40m braided nylon string line white
Stanway	CM80	80m braided nylon string line white
Stanway	CM80FL	80m braided nylon string line fluoro

Level



Brand	Code	Description
Ox	OX-P027210	250mm

Chisels & Bolsters



FP1237-075

Brand	Code	Description
Footprint	FP1237-075	Bolster chisel 225 x 75mm
Footprint	FP1237-100	Bolster chisel 225 x 100mm
Footprint	FP1237-113	Bolster chisel 225 x 113mm



Brand	Code	Description
NZ Brush	16108	Whitewash brush, continental den nylon softened ends for rough cast etc



Brand	Code	Description
Marshalltown	MT829	Masonry slurry brush

Brushes



Brand	Code	Description
NZ Brush	73518	Gong brush long handle



Brand	Code	Description
Raveu	RV8017	Gong brush short handle



Brand	Code	Description
Dixbro	SPIK402	Wire brush 4 row with plastic handle



Brand	Code	Description
NZ Brush	80201	Brush and pan set

Rubber Buckets



Brand	Code	Description
Marshalltown	MTDF10	MT Rubber Bucket 10qt
Marshalltown	MTDF12	MT Rubber Bucket 12qt
Marshalltown	MTDFP18	MT Rubber Bucket Lipped 18qt

Diamond Blades

Tuck Pointing Blades

PMR Tuck Pointing Blades

High quality 6mm wide segment blade. Applications include: mortar raking and abrasive materials.


Brand	Code	Diameter (inches)
Ox	OX-PMR-4.5	4 1/2
Ox	OX-PMR-5	5
Ox	OX-PMR-7	7



Multistar Universal/Hard Blades

General purpose economy blade for a wide variety of construction materials without steel reinforcing. Bricks/pavers, Clay pipes, Terrazzo, Concrete (regular to soft), Soft bluestone (Basalt), Cement sheet, Concrete roof tile, Limestone, Asphalt.


Brand	Code	Description
Multistar	ML-350GR	350mm Green Diamond Blade / Medium Brick
Multistar	ML-350BK	350mm Black Diamond Blade / Soft Brick



Xceeder Silencio Professional Blades

Fast cutting of clinkers and other hard clay bricks and pavers. These robust blades offer rapid continuous cuts. Suitable for: Brick and block saws, dedicated silent cutting reduced blades for bricks and pavers

Code	Description
XSHC-350	350mm Diameter 10mm segments



Zec Plastic Disc for Masonry

Resin bonded silicon carbide abrasive on heavy plastic backing for removal of surface coatings, smoothing of rough concrete and edge of fibre cement board prior to joining. No back up pad needed.

Brand	Code	Size	Grit
Totalsite	1014016	115 x 22	16 grit
Totalsite	1015016	178 x 22	16 grit
Totalsite	1014024	115 x 22	24 grit



Masonry Abrasive Cup

Tapered cup wheels are designed for grinding concrete floors, surface finishing and concrete construction work.

Brand	Code	Size	RPM
Totalsite	CR24R Masonry	110/95 x 50 x M14	8500 max
Totalsite	CR24 Masonry	130/95 x 55 x M14	6880 max



Oxides

Powdered Integral Colour

Brand	Code	Description
Permacolour	NPCPLITHIUM-WS10	Lithium coloured oxide 10kg water soluble bag = 1m3
Permacolour	NPCPSOAP-WS10	Soapstone coloured oxide 10kg water soluble bag = 1m3
Permacolour	NPCPCANVAS-WS05	Canvas coloured oxide 5kg water soluble bag = 1m3
Permacolour	NPCCLIMES-WS10	Limestone coloured oxide 10kg water soluble bag = 1m3
Permacolour	NPCPLATTE-WS10	Latte coloured oxide 10kg water soluble bag = 1m3
Permacolour	NPCPSTONE-WS05	Stonefish coloured oxide 5kg water soluble bag = 1m3
Permacolour	NPCPCARGO-WS10	Cargo coloured oxide 10kg water soluble bag = 1m3
Permacolour	NPCPBLUE-WS05	Bluegrass coloured oxide 5kg water soluble bag = 1m3
Permacolour	NPCPLUSTRE-WS10	Lustre coloured oxide 10kg water soluble bag = 1m3
Permacolour	NPCPSEPIA-WS10	Sepia coloured oxide 10kg water soluble bag = 1m3
Permacolour	NPCPSTRAW-WS05	Straw coloured oxide 5kg water soluble bag = 1m3
Permacolour	NPCPMOSS-WS05	Moss coloured oxide 5kg water soluble bag = 1m3
Permacolour	NPCPTOBAC-WS10	Tobasco coloured oxide 10kg water soluble bag = 1m3
Permacolour	NPCPCASH-WS05	Cashmere coloured oxide 5kg water soluble bag = 1m3
Permacolour	NPCPGOLDC-WS10	Gold Coast coloured oxide 10kg water soluble bag = 1m3
Permacolour	NPCACTUS-WS10	Cactus coloured oxide 10kg water soluble bag = 1m3
Permacolour	NPCPPOTT-WS10	Pottery coloured oxide 10kg water soluble bag = 1m3
Permacolour	NPCPMART-WS05	Martini coloured oxide 5kg water soluble bag = 1m3
Permacolour	NPCPSIENNA-WS05	Sienna coloured oxide 5kg water soluble bag = 1m3
Permacolour	NPCPMINT-WS10	Mint coloured oxide 10kg water soluble bag = 1m3
Permacolour	NPCPCHOC-WS10	Chocolate coloured oxide 10kg water soluble bag = 1m3
Permacolour	NPCPAGEB-WS10	Aged Bronze coloured oxide 10kg water soluble bag = 1m3
Permacolour	NPCTERRA-WS10	Terracotta coloured oxide 10kg water soluble bag = 1m3
Permacolour	NPCPTEAL-WS10	Teal coloured oxide 10kg water soluble bag = 1m3
Permacolour	NPCPLCASSG-WS10	Classic Grey coloured oxide 10kg water soluble bag = 1m3
Permacolour	NPCPF9270-WS05	Metal Grey coloured oxide 5kg water soluble bag = 1m3
Permacolour	NPCPCHAR-WS10	Charcoal coloured oxide 10kg water soluble bag = 1m3
Permacolour	NPCPJETB-WS20	Jet Black coloured oxide 20kg water soluble bag = 1m3
Permacolour	NPCPF9270-WS20	Black Velvet coloured oxide 10kg water soluble bag = 1m3
Permacolour	NPCPF9270-WS10	Gun Smoke coloured oxide 10kg water soluble bag = 1m3
Permacolour	NPCPF9270-WS10	Carbon Black coloured oxide 10kg water soluble bag = 1m3
Permacolour	NPCPF9675-WS10	Black Magic coloured oxide 10kg water soluble bag = 1m3



Sealers & Waterproofers

Clearseal Concrete Sealer

Is a gloss acrylic solvent based surface coating and sealer.

Brand	Code	Size
Totalsite	DG01-5	5L
Totalsite	DG01	20L
Totalsite	DG02	200L

Homecare Waterbased Silicone

A waterbased silicone impregnation agent which repels water and allows walls to breath, specially designed for the water-repellent treatment of buildings and building materials, including concrete tiles, paths, foundations, Summerhill Stone, concrete blocks and other porous building materials

Brand	Code	Size
Totalsite	WBSIL1L	1L
Totalsite	WBSIL2L	2L
Totalsite	WBSIL5L	5L
Totalsite	WBSIL20L	20L
Totalsite	WBSIL200L	200L

Backset

Biodegradable cement softener for cleaning of hardened cement base products on tools and equipment.

Brand	Code	Size
Totalsite	BKST-5LTR	5L
Totalsite	BKST-20LTR	20L

Waterproof Powder

Blend of waterproofing admixtures that have been specially designed for use with Portland cement concrete, mortars and renders. Is widely used by block & paver manufacturers to eliminate efflorescence.

Brand	Code	Size
Rockbond	R6.05-4	4kg

Cement

Cement Ultracem 25kg Bags

Brand	Code	Size
Holcim	Holcim25	25kg

White Cement 20kg Bags

Brand	Code	Size
CEMIX	CEMENT-WHITE	20kg

Industrial Mortar 30kg Bags

Brand	Code	Size
DRYMIX	INDMORT	30kg

Gripflex Adhesive 20kg Bags

Brand	Code	Size
TOTALSITE	GRFL20	20kg

GP Grout

Brand	Code	Size
Rockbond	RB1.04-25	25kg

Cemplus

Brand	Code	Size
Cemkey	CPL005	5L
Cemkey	CPL020	20L
Cemkey	CPL210	210L

Cemkey Concentrate

Brand	Code	Size
Cemkey	CCO005	5L
Cemkey	CCO020	20L
Cemkey	CCO210	210L

CF Accelerator

Brand	Code	Size
Rockbond	RB6.11-5	5L
Rockbond	RB6.11-20	20L
Rockbond	RB6.11-200	200L



Acid

Hydrochloric Acid

Code	Size
2181010	20L

Phosphoric Acid

Code	Size
PHOACI	5L (8.25kg)

Gator PEF Backing Rods

Controls the correct joint depth. Ensures appropriate movement of sealant. Complies with ASTM standard as per NZ Building Code. Water resistant, no water absorption.

Brand	Code	Size
Holdfast	39172	6mm x 50mr Small Reel
Holdfast	39171	8mm x 50mr Small Reel
Holdfast	39170	10mm x 50mr Small Reel
Holdfast	39169	13mm x 50mr Small Reel
Holdfast	39164	15mm x 50mr Small Reel
Holdfast	39168	20mm x 50mr Small Reel
Holdfast	39167	25mm x 50mr Small Reel
Holdfast	39166	30mm x 50mr Small Reel

Sealants



Gorilla Pro Gun

Code 21100

290ml – 375ml. Attractive hangsell packaging. High quality mechanism. Industrial construction. Light weight ergonomic design.



Fixall Skeleton Gun

Code 11390

300ml – 375ml. Light weight ergonomic design. Nozzle cleaning tool. Competitively priced. Will take 300ml – 375ml cartridges.



Holdfast 600ml Sausage Gun

Code 21116

Top quality 340mm Sausage gun to fit the 600ml sausages. Also will take 265mm cartridges. Replacement nozzles available.



Panasonic Electric Sausage Gun

Code EY3641LR1S57

New high-performance 4.2Ah Li-ion battery pack. 50min usable and 60min full charging. Light weight 2.8kg (incl. battery). Electric speed control. Fully automatic decompression. Includes one battery pack.



Fixall 220 MS Sealant 425gr Cartridge

FixAll 220 is a high performance MS sealant with superior flexibility, which makes it ideal for expansion joints or joints subject to (high) movement. High performance MS sealant. Will stick to damp surfaces. UV resistant. Paintable 1 hour after application (under normal conditions).

Brand	Code	Description
Fixall	20067	600ml colour white, box qty 12
Fixall	20068	600ml colour grey, box qty 12
Fixall	20070	425gr colour black, box qty 12



Gorilla Boltfix Anchoring Adhesive

Code 21423

Boltfix Anchoring Adhesive is a rapid curing 2 part chemical anchoring system based on epoxy acrylate. Boltfix Anchoring Adhesive is styrene free. It is suitable for exterior applications. Pressure-free securing of threaded rods. Reinforcement bars, profiles etc.



Holdfast Carbond 940FC Automotive PU Sealant

High quality polyurethane based sealant & adhesive. High bond strength. Can be sanded and painted.

Resistant to many chemicals. Waterproof.

Brand	Code	Description
Holdfast	20054	310ml colour black
Holdfast	20055	310ml colour white
Holdfast	20064	600ml colour black
Holdfast	20066	600ml colour white
Holdfast	20069	600ml colour grey



Toptec Industrial Silicone 300ml – Clear

Code 60080

A fast curing neutral cure, fully elastic one-component joint. Sealant based on silicones which meets ISO 11600 F+G 25LM. Low modulus, very easy application, permanent colour, NZ UV resistant, fast skin forming and stays elastic after curing.



Fixall 220 MS Sealant 600ml Sausage

Top quality 340mm Sausage gun to fit the 600ml sausages. Also will take 265mm cartridges. Replacement nozzles available.

Brand	Code	Description
Fixall	20073	600ml colour white, box qty 12
Fixall	20072	600ml colour grey, box qty 12
Fixall	20071	600ml colour black, box qty 12



Gorilla Facade Elastic Joint Sealant

Code 20173

High quality, polyurethane based elastic joint sealant. Excellent resistance to UV radiation and weathering.

Temperature resistance -30°C to +90°C. All usual building & industrial joints.



Micara Armaflex 40FC Flooring Sealant

Code 42708

600ml grey. High quality, excellent adhesion. Excellent tear and chemical Resistance. Easy to gun and tool. Permanently elastic.



Gorilla Firestop MS FR

Code 56219

High quality joint sealant, high adhesive strength with excellent elasticity. For use in high movement joints in construction, automotive, marine applications where a tough flexible rubber is required with good fire retardant characteristics.



Masking Tapes & Films

Scotch Brand Pro Strength Duct Tape

Code 1260

Heat resistant 48mm x 54.6m. The tape includes a high-tack adhesive that holds tight to most surfaces. Polyethylene bonded to cloth duct tape is weather-resistant and moisture-resistant and tears easily by hand. Industrial construction. Light weight ergonomic design.



Autospec Tape

High performance grade for brush, roller & spray masking
Automotive paint masking applications- solvent resistant
Extra strength for Industrial holding, bundling & packing
applications. Up to 3 days exterior masking with excellent
conformability.



Black PVC Tape 48mm

Code 3033-30X48-B

Plasticized PVC Tape coated with a special primed rubber based adhesive. An excellent premium tape with good resistance to weather, moisture, UV & aging. Excellent for heavy duty joining & sealing applications.

Waterproof Cloth Tape

Extra thick rubber adhesive layer for high tack, permanent bond.
High strength 80 mesh fabric scrim backing for superior holding.
Excellent water and moisture resistance for weatherproofing and
sealing. Used for heavy duty protection, bundling, reinforcing,
repairing, sealing.



Coating Applicators



CQ All Paints 230mm Roller Kit

Code GS-230-12-KIT

2 x 8mm gold stripe micro fibre roller sleeves.
Heavy duty 5 roller frame. Suitable for all paints.
Sturdy 230mm roller tray.



Heavy Duty Roller Frame

Heavy duty 5 wire cage frame with threaded handle.
8mm shank, universal pole thread, reinforcing bands on handles.

Brand	Code	Size
CQ	N-1049	230mm
CQ	N-1056	270mm



Wooster Pro Doo-Z Roller - 450 x 13mm

All paints contractor sleeve. Suitable for all paints, urethanes epoxies. Very good solvent resistance, high density thermobonded woven pile. 270mm wide.

Brand	Code	Size
Wooster	RR643-450	13mm
Wooster	RR644-450	20mm



Gold Stripe Industrial Rollers 270mm

All paints contractor sleeve. Suitable for all paints, urethanes epoxies. Very good solvent resistance, high density thermobonded woven pile. 270mm wide.

Brand	Code	Size
CQ	GS-270-12	12mm
CQ	GS-270-18	18mm



Gold Stripe Industrial Rollers 230mm

All paints contractor roller sleeve, Suitable for all coatings. High density thermobonded woven pile. 230mm wide.

Brand	Code	Size
CQ	GS-230-6	6mm
CQ	GS-230-18	18mm
CQ	GS-230-20	20mm



Tradegear Industrial Brush

Natural wood handle, white 100% hog bristle nickel plated ferrule, good bristle length and bulk. Favourite of the marine industry for gel coats, varnish, acetones and solvents.

Brand	Code	Size
Tradegear	7070/25	25mm
Tradegear	7070/38	38mm
Tradegear	7070/50	50mm
Tradegear	7100/63	63mm
Tradegear	7070/75	75mm
Tradegear	7070/100	100mm

Protective Wear PPE



Rig-Master Gloves

Code E320

Heavy weight fully dipped blue nitrile glove for full hand protection. 12 pairs per box/120 pairs per carton.



Activgrip Lite Gloves

Code AGL

Towa ActiveGrip MICROFINISH™ coating. A 15-gauge seamless liner and ergonomic design assure a maximum comfort and minimum hand fatigue. Extra coating of thumb area for extra safety. 12 pairs per box/144 pairs per carton.



Powergrab Plus Gloves

Code PGP

Towa Powergrab Plus, MICROFINISH™ coating. Extra coating of thumb area for extra safety. Feel the difference with MICROFINISH™ latex coating for outstanding wet and dry handling. 12 pairs per box/72 pairs per carton.



Powergrab Thermo Gloves

Code PGT

Towa Powergrab thermal lined MICROFINISH™ coating. Napped acrylic liner for cold conditions. Extra coating of thumb area for extra safety. 12 pairs per box/72 pairs per carton.



Thermo Gloves

Code OR653T

Towa 653 soft textured PVC with removable thermo liner. Removable, washable napped acrylic thermal liner. Anti- bacterial treatment is applied to the liner for improved hygiene. 12 pairs per box/72 pairs per carton.



Polycotton Gloves

Code E100 (without dots) or E150 (with dots)

7 gauge knit for strength and ventilation. Can be reversed and used on both sides (E100). Bleached with black PVC dot grip on one side for extra grip (E150). 12 pairs per box/300 pairs per carton.



'High Five' High Risk Latex Gloves

Code MDLHR-M | MDLHR-L | MDLHR-XL

Tough powder free high risk latex disposable gloves. Extended 30cm cuff for extra protection. Industrial skin protection. 50 pairs per box/10 boxes per carton.



'High Five' Industrial Nitrile Gloves

Code MDNDF-M | MDNDF-L | MDNDF-XL

Non latex powder free high quality nitrile rubber, tailored fit Industrial & Medical grade approved. Paint, silicon, Oil and abrasion resistant. 100 pairs per box/10 boxes per carton.



'High Five' Industrial Nitrile

Code MDNHD-M | MDNHD-L | MDNHD-XL

Superior puncture and abrasion resistance. 6mil - Stronger, thicker, more chemical resistant. Latex free - 100% nitrile. Distinctive black colour to mask stains. 100 pairs per box.



Prochoice Tradie & Painters Respirator Kit

Code HMA1P2

Suitable for trade application where P2 rating and organic vapour protection is required. Kit contains: 1 x Half Mask Respirator (HMTMP), 1 x pair P2 Cartridges (PCP2).



Prochoice P2 Prefilter to suit ProCartridges

Code PCFP2

For use with ProCartridge. Provides protection against mechanically thermally generated particles. Lightweight pads fit inside ProCartridge gas cartridge easy replacement system.



Prochoice Filter Cartridges for HMA1P2

Code PCP2

For use on Prochoice Twin Filter Half Mask. P2 cartridges protects against mechanical and thermally generated particles Replaceable dust filter system. Easy 'Lock-on system' to ProChoice Half Mask. Comes Complete with a P2 ProChoice Filter and retainer caps.



Velocity Safety Glasses - Smoke

Code 8002

Standards certified to AS/NZS 1337.1 medium impact. Anatomically shaped wrap around lens offers a high degree of safety. Optically correct for greater visual accuracy and awareness. 99.9% UV protection for outdoors.



G-Max Premium Googles

Code GMAX

AS/NZS 1337.1:2010 standards certified. Panoramic 180° field of vision. Suitable for use over prescription glasses. Outstanding ventilation system.



Magnum Safety Glasses

Code 1700 (clear) or 1702 (smoke)

AS/NZS 1337.1 medium impact protection, anti-scratch UV400 lens. Anti-fog coated lens ideal for use with dust masks and humid conditions. 100% UV protection for outdoor wear.

Steel Toe Rubber Gumboots

Brand
Bison

Code
MBBISONNR

The Neo is the Gumboot of choice for heavy duty industries that require steel toe protection, insulation and warmth, whilst remaining 100% waterproof. Manufactured from a unique blend of neoprene and high density rubber for greater flexibility and robustness.

Comfortable, thermal-lined 200 joule safety toe cap, providing strength and safety protection.

Sizes 6 - 13





**We're here for all your
specialised Tools &
Equipment**

**Contact Us:
sales@totalsite.co.nz
0508 447 348**